



## Modelling and Forecasting Long Memory and Volatility in Nigeria’s Consumer Price Index Using an Arfima-Figarch Approach

Auwalu Muhammed Sabo<sup>1</sup>, Akeem Ajibola Adepoju<sup>2</sup>, Tasi’u Musa<sup>3</sup> & Huzaifa Abdurrahman<sup>4</sup>  
 Faculty of Computing and Mathematical Sciences, Department of Statistics, Aliko Dangote University of Science and Technology, Wudil

\*Corresponding Author Email: [auwalumohammedsabo@gmail.com](mailto:auwalumohammedsabo@gmail.com)

### ABSTRACT

Commodity prices in Nigeria exhibit long memory characteristics, which lead to high risk of price fluctuations. This study aims to model and forecast the impact of long memory on cereal prices index in Nigeria using a hybrid time series model. The data used for this study are secondary monthly CPI data obtained from the Central Bank of Nigeria (CBN) covering the period 1990-2025. The study employed Kwiat-Kowski Phillip Smidth Shin test to check for stationarity and found that the variables were stationary after taken fractional differencing. The study employed GPH test to check for long memory in the variables and it was found in the variables. The study utilized scatter plot to check for heteroscedasticity and it was found in the residuals of ARFIMA (1, 1.2, 1) models. In addition, ARFIMA (1, 1.2, 1)-FIGARCH (9, 1) was found as the best model with least AIC, MAE, MSE, and RMSE when compared with standalone models. The study employed Ljung-Box and ARCH-LM tests to diagnose the models. Hence, there is no excess correlation in the residuals of best models. The forecast results shows that the forecasted volatility of the CPI variable increases over time, this indicates the rising prices may impact food affordability and accessibility in the nation. Moreover, Government may need to intervene to stabilize prices and ensure food security.

### Keywords:

ARFIMA,  
 FIGARCH,  
 CPI,  
 Long Memory,  
 Volatility,  
 Heteroscedasticity

### INTRODUCTION

Long memory means past values in a series influence future values over long time spans, causing slow decay in autocorrelations (Sottinen, 2021). This phenomenon is commonly observed in stock returns and particularly volatility, challenging the Efficient Market Hypothesis (EMH) which assumes price changes are random (Kramer, 2001). Several Studies have confirmed that long memory allows for predictability in returns and volatility, implying trading strategies can exploit persistence trends and risk (Barunik and Kristoufek, 2019). Capturing long memory is thus crucial for accurate forecasting and risk management.

Nigeria’s commodity market is highly volatile and influenced by macroeconomic and monetary variables like money supply, interest, and exchange rates, affecting stock price movements (Egberi and Olsufolan, 2021). Despite its growing importance, persistent dependencies and long-run dynamics in Nigerian commodity prices remain underexplored. Understanding these dynamics helps investors and policymakers mitigate risks and enhance market efficiency amid Nigeria’s unique economic conditions.

Hybrid time series models combine strengths of different methods to capture linear and nonlinear patterns in financial data more accurately (Stempien and Slepaczuk, 2013). For example integrating ARFIMA for long memory with FIGARCH for volatility models has proven robust in forecasting and modelling complex dependencies in other markets. Such hybrids outperform single models by adapting to changing market conditions and capturing complex behaviours.

Studying long memory enables better understanding of price persistence, improving forecasts and trading strategies. It reveals market inefficiencies contradicting EMH, informing regulatory and investment decisions. Long memory analysis aids in valuing stock options and risk management by modelling volatility’s persistence. For Nigeria leveraging this can enhance market predictability and investor confidence.

Studies were conducted by various researchers with the use of ARFIMA-FIGARCH model on economic data. These include Benbachir (2025) assessed informational efficiency in largest African stock markets by modelling dual long memory using ARFIMA-FIGARCH approach.

The study assessed the weak-form informational efficiency of six major African stock markets – Johannesburg, Casablanca, Botswana, Nigeria, Egypt, and the Regional Stock Exchange – through the lens of long-memory behavior in returns and volatility. This was achieved by employing four advanced models: ARFIMA-FIGARCH, ARFIMA-FIEGARCH, ARFIMA-FIAPARCH, and ARFIMA-HYGARCH. Each of these models was specifically designed to capture long memory in both the conditional mean and variance. The empirical results demonstrated that the ARFIMA-FIGARCH framework, across all four model variants, consistently outperformed alternative specifications in fitting the return and volatility dynamics of all six African stock market indices. Moreover, Zhelyazkova (2018) studied exchange rates using ARFIMA-FIGARCH, HYGARCH and FIAPARCH Models. The used daily exchange rate returns of twelve currencies against USD (4310 observations) from 2000 to 2017. The tests were based on ARFIMA-FIGARCH, HYGARCH and FIAPARCH models which are estimated by maximum likelihood method under the assumption of t-distribution, generalized error distribution and skewed t-distribution of innovation process. The results showed presence of long memory in volatility of all twelve exchange rates and dual long memory in the returns of BRL/USD only. The HYGARCH model was found to be an appropriate volatility model with long memory for BRL/USD, NOK/USD and ZAR/USD. According to estimated FIAPARCH models there is an asymmetric response of volatility of BRL/USD, MXN/USD, NZD/USD and ZAR/USD to positive and negative shocks along with long memory. Furthermore, Turkyilmaz and Balibey (2014) studied Long Memory Behavior in the Returns of Pakistan Stock Market using ARFIMA-FIGARCH model. The data used for the study consists of daily stock index data for the period of 2010-2013 after global economic crisis. According to findings of the study, ARFIMA model do not support long memory behavior for the stock market returns. However, FIGARCH model indicated that volatility of market returns has long memory. Moreover, in order to test the feature of long memory in the return and volatility of the stock market simultaneously, ARFIMA-FIGARCH models were estimated according to different distributions simultaneously. Predictable structure of volatility of Pakistan stock market displayed that this market was the weak-form market inefficiency. Consequently, it was possible to say that technical analysis related to this stock market may be valid. This implied that it was possible to predict future stock prices and extra ordinary gains could be obtained trading in the market.

Despite the importance of cereal commodity in Nigeria's economy, there is a dearth of research on modelling and forecasting its prices index using robust time series techniques. Specially, existing literatures are scarce on

studies that apply advanced time series models to capture the complex dynamics of these commodity prices. Notably, there is a lack of research that employs hybrid time series models that simultaneously account for long memory in both the mean process and volatility of these price indices. To address these gaps, the study proposes to employ ARFIMA-FIGARCH model to examine the prices index of cereal commodity in Nigeria, providing a more comprehensive understanding of its behaviour and contributing to the limited literature on this research.

The study aims to model and forecast the impact of long memory properties on Nigerian commodity prices index using ARFIMA-FIGARCH approach. And the objectives are to: (i) Analyse long memory characteristics in Nigeria's commodity prices index data (ii) Estimate and compare parameters capturing persistence in returns and volatility (iii) Evaluate the forecasting performance of the model for commodity price index volatility (iv) Assess the implication of long memory on market efficiency and risk management in Nigeria. Hence our focal research questions are: (i) Does the Nigeria's commodity prices index exhibit long memory in returns and volatility? (ii) How well does ARFIMA-FIGARCH model capture these long memory features? (ii) Can the model improve forecasting accuracy of the commodity prices index volatility? (iii) Can the model improve forecasting accuracy of the commodity prices index volatility? (iv) What are the implications of long memory on market efficiency and risk management in Nigeria?

## MATERIALS AND METHODS

### Method of Data Collection

The data collected for this research work are secondary data which was retrieved online through [www.c.b.n.gov.ng](http://www.c.b.n.gov.ng) website. The data is economic time series data which is based on commodity prices index in Nigeria. The data was collected on monthly basis ranging from 1990-2025.

### Method of Data Analysis

This section describes the analytical procedures applied in Chapter Four. The methods employed include time series visualization, stationarity testing, long memory testing, model order selection, heteroscedasticity testing, model estimation, diagnostic checking, and forecast performance evaluation using ARFIMA, FIGARCH, and ARFIMA-FIGARCH models.

### ARFIMA Model

The Autoregressive Fractional Integrated Generalize Moving Average model was proposed by Granger and Joyeux (1980) and Hosking (1981). The model is used capture the presence of long memory in the time series. The model is defined

$$\Phi(B)(1-B)^d X_t = \theta(B)e_t \quad (1)$$

Where,

$\phi(B)$  : This is the autoregressive operator; it is a set of coefficients  $(\phi_1, \phi_2, \dots)$  capturing the effect of past values of the series  $X_{t-1}, X_{t-2}, \dots$ , on the current value  $(X_t)$ .

Where,  $B$  is the lag operator  $(B(X_t) = X_{t-1})$ .

$(1 - B)^d$  : is the fractional differencing operator. Where,  $(d)$  is decimal, not whole number, letting the model to capture long memory, meaning that past shocks still influence the present, but may be decaying slowly over time.

$X_t$  : is the observed time series value at time  $(t)$ .

$\theta(B)$ : is the moving average operator it is set of coefficients  $(\theta_1, \theta_2, \dots)$  but applied to past error terms (residuals), that is  $\varepsilon_{t-1}, \varepsilon_{t-2}, \dots$

$\varepsilon_t$  : is the white noise or error term at time  $(t)$ .

**FIGARCH Model**

The study employed FIGARCH model developed by Bollerslev and Mikkelsen (1996). The model is an extension or an improvement of GARCH model where the long memory component was added to the model. The model is used to capture characteristic of volatility long memory, persistence and clustering. The model is given below as:

$$\sigma^2_t = \omega + \alpha_i \sum_{i=1}^q \varepsilon^2_{t-i} + \beta_j \sum_{j=1}^p \sigma^2_{t-j} + [1 - (1-L)^d] \varepsilon^2_t \quad (2)$$

Where,  $\sigma^2_t$  is the conditional variance,  $\varepsilon^2_{t-i}$  is the squared unexpected returns for the previous periods,  $\sigma^2_{t-j}$  is the previous volatility,  $\omega$  is the intercept,  $\alpha_i$  is the adjustment of the past shocks and  $\beta_j$  is the adjustment to the past volatility,  $L$  is the lag operator,  $d$  is the differencing operator and  $\varepsilon^2_t$  is the squared of the residuals.

**ARFIMA-FIGARCH Model**

The study employed ARFIMA-FIGARCH which is a combination of ARFIMA and FIGARCH models. The model addresses the limitations of ARFIMA and FIGARCH models. The ARFIMA model has ability to capture long memory process in mean of a time series; however, it cannot capture long memory process in volatility and heteroscedasticity of a time series. The FIGARCH model has ability to capture long memory in volatility process and heteroscedasticity; however, it cannot capture long memory process in mean of a time series. Therefore, ARFIMA-FIGARCH model overcome the limitations of both two models. The model is given below as:

$$\sigma^2_t = \omega + \alpha_i \sum_{i=1}^q (\sigma_t z_t)_{t-i}^2 + \beta_j \sum_{j=1}^p \sigma^2_{t-j} + [(1 - (1 - L))^d (\sigma_t z_t)_t^2] \quad (3)$$

Where,  $\sigma^2_t$  is the conditional variance,  $(\sigma_t z_t)_{t-i}^2$  is the squared unexpected returns for the previous periods of the ARFIMA model,  $\sigma^2_{t-j}$  is the previous volatility,  $\omega$  is the intercept,  $\alpha_i$  is the adjustment of the past shocks and  $\beta_j$  is the adjustment to the past volatility,  $L$  is the lag operator,  $d$  is the differencing operator and is the squared of the residuals.

**Assumptions of ARFIMA-FIGARCH Model**

- i. It assumes stationarity.
- ii. It captures mean and variance of a time series.
- iii. It captures long memory in mean and volatility.
- iv. Captures heteroscedasticity.
- v. Captures AR component.
- vi. Captures MA component.

**Method to fit ARFIMA-FIGARCH Model**

This research work used two phase methods to fit the ARFIMA-FIGARCH model. In phase (I) the residuals of ARFIMA model were extracted. In phase (II) the extracted residuals from the ARFIMA model were used to fit ARFIMA-FIGARCH model.

**Time Series Visualization**

This study used time series plot to identify the behavior of the stock prices over the long period of time, make inference about the presence of unit roots, and structural breaks in the time series.

**Stationarity Checking**

Stationarity in time series analysis is presence of constant mean and variance in time series data. This study employed Augmented Dickey Fuller (ADF) and Kwiatkowski Smidh-Shin (KPSS) tests to check for the stationarity in the study variables.

**Augmented Dickey-Fuller Test**

The study employed test for a unit root in the time series by the test which was developed by Said and Dickey-Fuller (1984). The test is defined below as:

$$\tau = \frac{(\beta_1 - d)}{\sqrt{\frac{\beta_2^2 + \sigma^2}{(1 - \beta^2)^2}}} \quad (4)$$

Where,  $\beta_1$  is the trend term,  $d$  is the differencing parameter,  $\beta_2$  is the coefficient on the lagged first difference term, and  $\sigma^2$  is the variance of the time series. The test involves the following hypotheses:

- $H_0$ : the time series has unit roots.
- $H_a$ : the time series non-unit roots.

**Decision Criteria**

Null hypothesis is rejected if P-value is less than the alpha value.

**KPSS Test**

This research work checked for the presence of unit roots with the test which was proposed by Kwiat-Kowski Smidth-Shin (1992). The test serves as the second approach to check for the unit roots of the time series data. The test is defined below as:

$$KPSST = \frac{\sum_{t=1}^T (y_t - \hat{\mu} - \hat{\delta}_t)^2}{\hat{\sigma}^2 \sum_{t=1}^T (1 - \frac{t}{T})^2} \tag{5}$$

Where,  $y_t$  is the time series,  $\hat{\mu}$  is the mean of the time series,  $\hat{\delta}_t$  is the estimated trend coefficient,  $\hat{\sigma}^2$  is estimated variance of the time series, and  $T$  is the sample size.

**Long Memory Checking**

Long memory is a phenomena when a time series exhibits decay slowly rather than exponential decay. This study employed Gewek and Porter Hudak (GPH) test, proposed in 1983 to estimate and check for the long memory. The test is defined as:

$$\ln[I(w_j)] = \beta_0 + \beta_1 \ln\left[4 \sin\left(\frac{w_j}{2}\right)\right] + \varepsilon_j \tag{6}$$

Where,  $w_j = \frac{2\pi j}{T}$ ,  $j = 1, 2, \dots, n$ ,  $w_j$  refers to Fourier frequency Transformation ( $n = \sqrt{T}$ )  $\varepsilon_j$  represents residual of the model,  $I(w_j)$  is a simple periodogram which is defined as:

$$I(w_j) = \frac{1}{2\pi T} \left| \sum_{i=1}^T \varepsilon_i \lambda^{-w_j i} \right|^2 \tag{7}$$

**Model Order Selection**

This is the process of selecting the exact orders of a time series models. To fit time series models there is need to select the orders of the model. The study used Autocorrelation Function (ACF) plot and Partial Autocorrelation function (PACF) plot to identify the order of the ARFIMA-FIGARCH model.

**Autocorrelation Plot**

The study will employ autocorrelation plot to identify the order of Moving Average (MA) model to use in the proposed model. The autocorrelation function is given below as:

$$\rho_k = \frac{\theta_k}{\theta_0} \tag{8}$$

Where,  $\rho_k$  is the autocorrelation at lag  $k$ ,  $k$  is the chosen lag,  $\theta_k$  is the covariance at lag  $k$  and  $\theta_0$  is the variance.

**Partial Autocorrelation Plot**

The study employed Partial Autocorrelation Function (PACF) plot to identify the order of Autoregressive (AR) model to use in the ARFIMA-FIGARCH model. The function is defined as:

$$\varphi(k) = \frac{[\rho(k) - \sum[\varphi(j) \cdot \rho(k-j)]]}{[1 - \sum[\varphi(j) \cdot \rho(j)]]} \tag{9}$$

Where,  $\varphi(k)$  is the partial autocorrelation at coefficient at lag  $k$ ,  $\rho(k)$  is the autocorrelation coefficient at lag  $k$ ,  $\varphi(j)$  is the partial autocorrelation at lag  $j$ ,  $k$  is the number of lag, and  $j$  is the intermediate lag ( $j = 1$  to  $k - 1$ ).

**Heteroscedasticity Checking**

Heteroscedasticity refers to the presence of non-constant variance in time series data. The study employed scatter plot to check for the presence of heteroscedasticity in the residuals of ARFIMA model.

**Scatter Plot**

This research work used scatter plot to check for the presence of heteroscedasticity in the residual, the residuals were plotted against the time. The residuals are on the vertical line and the times are on the horizontal line.

**Evaluation Metric Measures**

Measures of forecasting accuracy were used in this study to evaluate the performance of the developed model. In this study, Mean Absolute Error (MAE), Mean Square Error (MSE) and, Mean Square Error (RMSE), and Akaike Information Criterion (AIC) are the forecasting performance methods considered.

**Mean Absolute Error**

Mean Absolute Error was used in this study to measure the average magnitude of the errors produced by the model developed. The test is defined as:

$$MAE = \frac{1}{n} \sum_{t=1}^n |\sigma_t^2 - \hat{\sigma}_t^2| \tag{10}$$

Where,  $n$  is the sample size,  $\sigma_t^2$  is the actual variance at time  $t$  and  $\hat{\sigma}_t^2$  is the estimated variance at time  $t$ .

The following steps were undertaken to compute the MAE:

Step1: Calculation of the absolute difference between each actual value and its corresponding forecasting value.

**Mean Square Error**

This study employed mean squared error to measure the average squared difference between predicted and actual values. The test statistic is given below as:

$$MAE = \frac{1}{n} \sum_{t=1}^n (\sigma_t^2 - \hat{\sigma}_t^2)^2 \tag{11}$$

Where,  $n$  is the sample size,  $\sigma_t^2$  is the actual variance at time  $t$  and  $\hat{\sigma}_t^2$  is the estimated variance at time  $t$ .

The following steps were undertaken to compute the MSE:

Step1: Calculation of the difference between each actual value and its corresponding predicted value.

**Root Mean Square Error**

This study employed Root Mean Square Error to measure the difference between the predicted and actual values. The test statistic is defined as:

$$RMSE = \sqrt{\frac{1}{n} \sum_{t=1}^n (\sigma_t^2 - \hat{\sigma}_t^2)^2} \tag{12}$$

Where,  $n$  is the sample size,  $\sigma_t^2$  is the actual variance at time  $t$  and  $\hat{\sigma}_t^2$  is the estimated variance at time  $t$ .

The following steps were undertaken to compute the RMSE:

Step1: Calculation of the difference between each actual value and its corresponding predicted value.

**Akaike Information Criterion**

This study employed AIC to evaluate the relative quality of the developed model for the given set of data. The test statistic is given below as:

$$AIC = -2\ln(L) + 2k \tag{13}$$

Where,  $n$  is the sample size,  $\sigma^2$  is the variance of the time series, and  $\varepsilon_t^2$  is residuals of the time series.

**Diagnostic Test**

This study employed Ljung-Box test and Arch-Lm test to assess the goodness of the residuals of the selected best model.

**Ljung-Box Test**

This study checked for presence of serial correlation in the selected best models using a test proposed by Ljung-Box (1978). The following steps were undertaken to carryout Ljung-Box test for the selected best model. The tests is given below as:

$$Q_m = n(n + 2) \sum_{k=1}^m \frac{\tau_k^2}{n-k} \tag{14}$$

Where,  $n$  is the number of observations in the time series,  $k$  is the particular time lag to checked,  $M$  is the number of time lags to be tested,  $\tau_k$  is the sample autoorrelation function of the  $k^{th}$  residuals term.

**ARCH-LM Test**

This study used the test proposed by Engle (1982) to check for the effect of heteroscedasticity in the residual of the model. The following steps were undertaken to carry out the ARCH-LM test for the residuals of the selected best model. The test is defined as:

$$Q^*(m) = T(T + 2) \sum_{j=1}^m \frac{\hat{P}_j}{T - L} \tag{15}$$

Where,  $m$  is the maximum numbers of lags included in the ARCH effect test,  $\hat{P}_j$  is the sample Autocorrelation at lag  $j$  for the squared time series and  $T$  is the number of non-missing values in the data sample.

**RESULTS AND DISCUSSION**

**Time Series Visualization**




Figure 1 Time Series Plots of Monthly Cereal Price Index (1990-01) to (2025)

From the results obtained in Figure 1 it is observed that the CPI time series exhibits trend both upward and downward movements with a pronounced upward trend,

indicating non-stationary behaviour over the study period.

**Stationarity Checking**

**Table 1 ADF Test Results of CPI Time Series**

Dickey-Fuller = -2.9701	Lag order = 7	P-value = 0.1676
-------------------------	---------------	------------------

From Table 1, the ADF p-value (0.1676) exceeds the 5% significant level, hence, the null hypothesis of a unit root cannot be rejected, indicating that the CPI series is non-stationary. However, since the ADF test alone may be inconclusive, the KPSS test was further employed for confirmation.

**Table 2 KPSS Test Results of CPI Time Series**

KPSS Level = 4.3614	Truncation parameter = 5	lag = 5	P-value < 0.01
---------------------	--------------------------	---------	----------------

From the results obtained in Table 2 it is observed that the probability value of KPSS test is less than 0.01, which is

less than 0.05, thus, we fail to reject the null hypothesis and conclude that the time series is not stationary.


**Long Memory Checking**

**Table 3 GPH Test of CPI**

Estimated (d)	sd.as	sd.reg
1.158523	0.1812318	0.218406

From the results obtained in Table 3 it is observed that the estimated long memory parameter  $d = 1.1585$ , which suggest significant long memory in CPI data. This means the series has persistent, slowly fading shocks.

**Time Series Visualization of the Differenced CPI**



**Figure 2 Time Series Plots of the Differenced CPI Time Series**

From the results obtained in Figure 2 it is observed that the time series fluctuates around a constant mean (no upward or downward trend). Thus, the time series is stationary.

**Stationary Checking of the Differenced Time Series**

**Table 4 KPSS Test Results of FdCPI Time Series**

KPSS Level = 0.028934	Truncation parameter = 5	lag = 5	P-value > 0.1
-----------------------	--------------------------	---------	---------------

From the results obtained in Table 4 it is observed that the probability value of KPSS test is greater than 0.1, which is greater than 0.05, thus, we are to reject the null hypothesis and conclude that the time series is stationary.

Model Order Estimation




Figure 3 Autocorrelation Function Plot of CPI

From the above results obtained in Figure 3 it is observed that the autocorrelation plot exhibits significant spike at from lag 1 up to lag 2. Thus, MA (1), M

A (2), and MA (9) are significant.




Figure 4 Partial Autocorrelation Function Plot of CPI

From the above results obtained in Figure 4 it is observed that the autocorrelation plot exhibits significant spike at lag. Thus, AR (1) is significant.

Heteroscedasticity Checking in the residuals of ARFIMA (1, 1.2 1) Model




Figure 5 Scatter Plot of ARFIMA (1, 1.2, 1) Residuals

From the results obtained in Figure 5 it is observed that the scatter plot exhibits funnel shape, thus, this indicates presence of heteroscedasticity in the residuals of the model.

Table 5 Comparison of the selected best Models

CPI	ARFIMA (1, 1.2, 1)	2404.19
CPI	FIGARCH (9, 1)	6.3062
CPI	ARFIMA (1, 1.2, 1)-FIGARCH (1, 1)	5.2400

From the results obtained in Table 5 it is observed that ARFIMA (1, 1.2, 1)-FIGARCH (1, 1) outperforms ARFIMA (1, 1.2, 1) and FIGARCH (9, 1) with least AIC.

Table 6 Evaluation Metric Measures of the selected best Models

CPI	ARFIMA (1, 1.2, 1)	2.512241	15.40299	3.924664
CPI	FIGARCH (9, 1)	3.036354	15.99727	3.999659
CPI	ARFIMA (1, 1.2, 1)-FIGARCH (1, 1)	0.1406994	0.7004388	0.8369222

From the results obtained in Table 6 it is observed that ARFIMA (1, 1.2, 1) and FIGARCH (9, 1) with least ARFIMA (1, 1.2, 1)-FIGARCH (1, 1) outperforms MAE, MSE, and RMSE.

Table 7 Coefficients of ARFIMA (1, 1.2, 1)-FIGARCH (1, 1) Model

CPI Time Series				
Parameters	Estimate	Standard error	t-value	Pr(> t )
$\mu$	3.213564	0.004980	645.2589	0.000000
$\omega$	0.004996	0.001229	4.0653	0.000048
$\alpha_1$	0.000000	0.124207	0.0000	1.000000
$\beta_1$	0.257503	0.135331	1.9028	0.057071
$\delta$	1.000000	0.000314	3189.1263	0.000000

From the above results obtained in Table 7 it is observed that the expected value of the time series is (3.2136). The constant variance parameter that represents the baseline volatility level is (0.0049). The ARCH parameter is

(0.0000), which measures the impact of first lagged squared error on current volatility. The GARCH parameters are (0.2575) it measures the impact of first lagged volatility on current volatility. The fractional differencing parameter is (1.0000) which measures the long memory component in volatility.

**Table 8 Ljung-Box Test of ARFIMA (1, 1.2, 1)-FIGARCH (1, 1)**

CPI Time Series		
Lag	Statistic	P-value = 0.4191
Lag 1	0.0178	0.8939
Lag 2	0.1180	0.9072
Lag 4	0.3290	0.9806

From the above results obtained in Table 8 it has been observed that all the probability values are (0.8939, 0.9072, 0.9806) are greater than the alpha value (0.05). Thus, the residuals of the model are approximately normally distributed. There is no significant serial correlation.

**Table 9 ARCH-LM of ARFIMA (1, 1.2, 1)-FIGARCH (1, 1)**

CPI Time Series				
Lag	Statistic	Shape	Scale	P-value
Lag 3	0.001552	0.500	2.000	0.9686
Lag 5	0.004613	1.440	1.667	0.9998
Lag 7	0.007815	2.315	1.543	1.0000

From the above results obtained in Table 9 it has been observed that all the probability values are (0.9686, 0.9998, 1.0000) are greater than the alpha value (0.05). Thus, the residuals of the model are approximately normally distributed. There is no remaining ARCH-effect in the model.

**Table 10 ARFIMA-FIGARCH Model Equation**

CPI	$\sigma_t^2 = 0.005 + 0.3\sigma_{t-j}^2 + [1 - (1 - L)(\sigma_t z_t)^2]$
-----	--------------------------------------------------------------------------

**Table 11 Forecast Results**

CPI Time Series	
November	0.4630
December	0.5525
January	0.6292
February	0.6974
March	0.7594
April	0.8166

From the results obtained in Table 11 it is observed that the forecasted volatility in November 0.4630 suggests moderate relatively stable market conditions. In December the volatility 0.5525 indicates growing uncertainty, possibly due to holiday season demand and supply chain disruptions. In January the volatility 0.6292 rises reflecting post-holiday market adjustment and potential production planning changes. In February the volatility 0.6970 continued increase in volatility suggests growing market uncertainty influenced by global economic factors and weather events. In March 0.7559 indicates significant price fluctuations, potentially driven by seasonal demand and production changes. In April very high volatility of 0.8166 which suggests extreme market uncertainty, potentially impacting food security and prices. This study analysed two commodity prices variable (Cereal Prices Index). The study found that the variable has no constant mean and variance that there means and variances change over time. The study found presence of long memory in the variable and long memory is persistent. The study looked at six months ahead forecast for the variable that is from November to April. This study employed hybrid time series model (ARFIMA-FIGARCH) which is good in capturing long memory and heteroscedasticity in economic variables. The study found that the hybrid model outperforms the stand alone models (ARFIMA and FIGARCH) models with least

AIC, MAE, MSE, and RMSE. The forecasted volatility indicates an increasing trend in the variable under study. This result is consistent with Ngome (2022) and Benbachir (2025) studies. The increasing volatility in each variable has significant implications that include:

- Food security: Rising prices may impact food affordability and accessibility, particularly for vulnerable populations.
- Farmers: increased price risk may influence planting decisions and investment in agricultural production.
- Policymakers: Government may need to intervene to stabilize prices and ensure food security.

Moreover, the increasing volatility of the variable suggests that the variable exhibit long memory, meaning that past shocks and volatility persist over time. This implies that:

- Volatility clustering: periods of high volatility are likely to be followed by more high volatility.
- Slows decay: volatility shocks take time to dissipate, leading to prolonged periods of price instability.

Predictability: The forecasts suggest some predictability in volatility, allowing for informed decision-making.

## CONCLUSION

The time series data CPI consist of trend over the long period of time. In addition, the time series (CPI) suffers with fluctuation of mean and variance, these characteristics made them not stationary. Furthermore, the study revealed presence of long memory in the variable under study. Moreover, there is presence of heteroscedasticity in the residuals of ARFIMA (1, 1.2, 1). ARFIMA (1, 1.2, 1)-FIGARCH (1, 1) was the best model with least AIC, MAE, MSE, and RMSE when compared with the ARFIMA and FIGARCH models. There is no significant serial correlation in the residuals, indicating the model reduced volatility persistence. Hence, the study highlights the use of robust model such as ARFIMA-FIGARCH model in proper modelling and forecasting CPI time. Finally, volatility forecasts reveal that CPI volatility increases over time, indicating rising price uncertainty that may adversely affect food affordability and market stability in Nigeria.

People should keep a close eye on dairy market news and trends to stay informed about potential price movements.

- i. People should consider implementing risk management strategies, such as hedging or diversification, to mitigate the impact of volatility.
- ii. People should develop a contingency plans to address potential price scenarios, including extreme price movements.

iii. People should implement robust risk management strategies to mitigate the impact of volatility on CPI.

iv. People should consider diversifying portfolios to reduce exposure to cereal price fluctuations.

People should continuously monitor market developments and adjust strategies accordingly.

## REFERENCE

Almeida, R., Dias, C., & Silva, J. (2017). Modelling of Heart Variability with ARFIMA-FIGARCH: Journal of Biomedical Signal Processing, 4(2), 112-124.

Al Zahrani, S., Al Sameeh, F. A., Musa, A. C. M., & Shokeralla, A. A. A. (2020). Forecasting Diabetes Patients Attendance at Al-Baha Hospitals Using Autoregressive Fractional Integrated Moving Average (ARFIMA) Models. Journal of Data Analysis and Information Processing, 2020, 8, 183-194 <https://www.scirp.org/journal/jdaip>.

Ali, O. A., & Yadgar, A. S. (2020). Hybridization Methodology of ARMA FIGARCH Model to Examine Gasoline Data in Iraq. International Journal of Psychosocial Rehabilitation, 24(10), 1475-7192.

Azan, A. N. A. M., Mototo, N. F. A. M. Z. & Mah, P. J. W. (2021). The Comparison between ARIMA and ARFIMA Model to Forecast Kijang Emas (Gold) Prices in Malaysia using MAE, RMSE and MAPE. Journal of Computing Research and Innovation (JCRINN) 6(3), 22-33.

Ayoade, I. A., & Ode, I. (2024). On the Hybrid of ARIMA and GARCH Model in Modelling Volatilities in Nigeria Stock Exchange. Bima Journal of Science and Technology, 8(1A), 2536-6041.

Anisa, Yudistira, I., & Yulianto, T. (2025). Application of the ARIMA-GARCH Model for Forecasting Indonesia's Monthly Inflation Rate.

Barunik, J., & Kritoufek, L. (2019). Long Memory and Data Frequency in Financial Markets. Journal of Empirical Finance, 52, 80-102.

Bawa, M. U., HG Dikko, H. G., Shabri, A., Garba, J., & Sadi S. (2021). Forecasting performance of Hybrid ARIMA- FIGARCH model and hybrid of ARIMA-GARCH model: A comparative study. Journal of Mathematical Problems, Equations and Statistics 2021; 2(2): 48-58.

Bawa, M. U., Dikko, H. G., Garba, J. Sadiku, S., & Tasi'u, M. (2023). Developing the Hybrid ARIMA-

- FIGARCH Model for Time Series Analysis. *FUDMA Journal of Sciences (FJS)*, 7 (3) 270 – 274.
- Bagavathi, P., & Mohandas, S. V. P. (2010). Performance Analysis of Hybrid Forecasting models with Traditional ARIMA Models - A Case Study on Financial Time Series Data. *International Journal of Computer Information Systems and Industrial Management Applications* 2, 187-211.
- Benbachir, S. (2025). Assessing informational efficiency in largest African efficiency in largest African stock markets by modeling stock markets by modeling dual long memory: An dual long memory: An ARFIMA-FIGARCH approach. *Investment Management and Financial Innovations*, 22(2), 238-253.
- Bollerslev, T., & Mikkelsen, H. O. (1996). Modelling and Pricing Long Memory in Stock Market Volatility. *Journal of Econometrics*, 73(1), 151-184.
- Caporale, G. M. & Skare, M. (2014). Long Memory in UK Real GDP, 1851-2013: An ARFIMA-FIGARCH Analysis. <http://www.diw.de/discussionpapers>.
- Caglayan, M., & Jiang, F. (2006). Reexamining the linkages between inflation and output growth: A Bivariate ARFIMA-FIGARCH Approach.
- Chaido Dritsaki, C. (2018). The Performance of Hybrid ARIMA-GARCH Modeling and Forecasting Oil Price. *International Journal of Energy Economics and Policy*, 2018, 8(3), 14-21.
- Egberi, J., & Olsufolahan, J. (2021). Effect of Monetary and Macroeconomic Variables on Stock Prices in Nigeria. *UUM Journal of Legal Studies*, 12(3), 45-59.
- Eke, Charles Ngome, E. C. (2022). ARIMA-GARCH Modeling of Monthly Crude Oil Prices Volatility from Nigeria. *Asian Journal of Probability and Statistics* 16(1): 44-53.
- Engle, R.F. (1982). "Autoregressive Conditional Heteroscedasticity with Estimates of the Variance of UK Inflation", *Econometrica*, 50: 987– 1008.
- Dritsaki, C. (2018). The Performance of Hybrid ARIMA-GARCH Modeling and Forecasting Oil Price. *International Journal of Energy Economics and Policy*, 2018, 8(3), 14-21.
- Dhliwayo, L., Matarise, F., & Chimedza, C. (2020). Autoregressive Fractionally Integrated Moving Average-Generalized Autoregressive Conditional Heteroskedasticity Model with Level Shift Intervention. *Open Journal of Statistics*, 10, 341-362 <https://www.scirp.org/journal/ojs>.
- Dum, D. Z., Meher, B. K., Bărbăcioru, I. C., Paliu-Popa, L., Gil, M. T., Simon, A. I., Stegăroiu, C. & Florescu, I. (2023). Investigating The Efficacy Of Arima And Arfima Models In Nigeria All Share Index Markets. *Economic Computation and Economic Cybernetics Studies and Research*, 57 (3), 2023.
- Granger, C. W. J., & Joyeux, R. (1980). An Introduction to Long-Memory Time Series Models and Fractional Differencing. *Journal of Time Series Analysis*, 1(1), 15-30.
- Geweke, J., & Porter-Hudak, S. (1983). The estimation and Application of Long-Memory Time Series Models. *Journal of Time Series Analysis*, 4(4), 221-238.
- Garafutdinov, R. V. (2021). Formation of Investment Portfolios of Two Assets Based on Forecast Returns using the ARFIMA-GARCH Model. *Journal of Financial Modelling* , 8(2), 112-129.
- Huang, X., Gao, P. Y. X., & Cheng, D. (2023). Stock Price Prediction Based on ARIMA-GARCHandLSTM.
- Hirani, N., & Michael, F. (2024). Time Series Forecasting and Dynamic Asset Allocation: ARIMA and GARCH Models in Portfolio Management. Bachelor's Degree Project in Mathematics.
- Hariyanto, S., Wibawa, S. G., & Solikhin. (2024). PM10 Air Quality Index Modeling Using Arfima Garch Method: Bundaran Hi Area of Dki Jakarta Province. *Journal of Mathematics and Its Applications* 18(4), 2165–2180.
- Hasan, I. K., Janur, M., & Nurwan, (2023). erapan Model Arfima-Garch Menggunakan Variasi Estimasi Parameter Pembada D Pada Data Long Memory. *J Statistika*, 16(2), 474 – 485.
- Hosking, J.R.M. (1981). Fractional Differencing. *Journal of the Royal Statistical Society: Series B (Methodological)*, 43(2), 165-210.
- Iorember, P. T., Usar, T., & Ibrahim, K. H. (2018). Analyzing inflation in Nigeria: a fractionally integrated ARFIMA-GARCH modelling Approach. *African Journal of Economic Review*, 6(1), 2018.

- Kramer, W., Sibbertsen, P., & Kleiber, C. (2001). Long-Memory Versus Structural Change in Financial Time Series.
- Kaiying Sun, K. (2017). Equity Return Modeling and Prediction Using Hybrid ARIMA-GARCH Model. *International Journal of Financial Research* 8(3), 2017.
- Kaur, P., & Singla, R. (2022). Modelling and Forecasting Nifty 50 using Hybrid ARIMA-GARCH Model. *The Review of Finance and Banking*, 14 (1), 7-20.
- Khumalo, M., Mashele, H., & Seitshiro, M. (2023). Quantification of the stock market value at risk by using FIAPARCH, HYGARCH and FIGARCH Models. *Data Science in Finance and Economics* 3(4), 380–400.
- Kumar, S., & Kumar, N. (2024). Assessing Parameter Stability of FIGARCH Models for Selected Currency Pairs: A Nyblom Test Approach. DOI: 10.13140/RG.2.2.18594.44489.
- Ljung, G.M., & Box, G.E.P. (1978). On a Measurement of Lack of Fit in time Series Models. *Biometrika*, 65(2), 297-303.
- Liu, P., Zhang, T., Tian, F., Teng, Y., & GU, C. (2024). A Wind Power Forecasting Model Incorporating Recursive Bayesian Filtering State Estimation and Time-Series Data Mining. <https://doi.org/10.17559/TV-20231019001038>.
- Li, S. (2024). Stock Closing Price Prediction Based on the ARIMA GARCH Model. *Frontiers in Business, Economics and Management* ISSN: 2766-824X | 13 (3), 2024.
- Maria, G., & Skareb, C. M. (2014). Long Memory in UK Real GDP, 1851-2013: An ARFIMA-FIGARCH Analysis.
- Magaji, B., & Garba, J. (2023). Long Memory and Volatility Models in Forecasting Exchange Rate of Nigerian Naira to United State Dollar. *Dutse Journal of Pure and Applied Sciences (DUJOPAS)*, 9(2), 2023.
- Monge, M., & Infante, J. (2023). A Fractional ARIMA (ARFIMA) Model in the Analysis of Historical Crude Oil Prices. *Historical Crude Oil Prices. Energy RESEARCH LETTERS*, 4(1). <https://doi.org/10.46557/001c.36578>.
- Mulyadi, H. A. D., Prajogo, S. & Binarto, A. (2025). Predicting Waste Volume Using ARIMA and ARFIMA Models. *International Research Journal of Multidisciplinary Scope (IRJMS)*, 2025; 6(2): 97-105.
- Reyes, J. E. , Zavala, J. E., & Aguirre, B. J. I. (2024). Analyzing the Selective Stock Price Index Using Fractionally Integrated and Heteroskedastic Models. *Journal of Risk and Financial Management* 17: 401. <https://doi.org/10.3390/jrfm17090401>.
- Sivakumar, P. B., & Mohandas, V.P. (2010). Performance Analysis of Hybrid Forecasting models with Traditional ARIMA Models - A Case Study on Financial Time Series Data. *International Journal of Computer Information Systems and Industrial Management Applications (IJCISIM)*, 2 (2010), 187-211.
- Stempien, J., & Slepaczuk, B. (2013). The use of Hybrid Time Series Models in Financial Markets. *Procedia Economics and Finance*, 6, 652-659.
- Sun, K. (2017). Equity Return Modeling and Prediction Using Hybrid ARIMA-GARCH Model. *International Journal of Financial Research* 8(3), 2017.
- Soeryana, S. E., & Simanjuntak, A. (2019). ARIMA-GARCH Model for Estimation of Value-at-Risk and Expected shortfall of Some Stocks in Indonesian Capital Market. *Proceedings of the International Conference on Industrial Engineering and Operations Management Riyadh, Saudi Arabia*, 26(28), 2019.
- Sottinen, T., Alos, E., Azmoodeh, E., & Di Nunno, G. (20 21). Editorial: Long Memory Models in Mathematical Finance. *Frontiers in Applied Mathematics and Statistics*.
- Shang Li, S. (2024). Stock Closing Price Prediction Based on the ARIMA GARCH Model. *Frontiers in Business, Economics and Management* , 13(3), 2024.
- Turhan, K., and Ismail, C.E., & Nesrin, O. (2009). Testing for long memory in ISE using ARFIMA-FIGARCH Model and Structural Break Test. Online at <https://mpira.ub.uni-muenchen.de/71302/> MPRA Paper No. 71302, posted 16 May 2016 13:51 UTC.
- Turkylmaz, S., & Balibey, M. (2014). Long Memory Behavior in the Returns of Pakistan Stock Market: ARFIMA-FIGARCH Models. *International Journal of Economics and Financial*, 4 (2), 2014, 400-410.
- Tarno, T., Maruddani, A. A. I., Rahmawati, R., Hoyyi, A., Trimono, T., & Munawar Munawar, M. (2020). ARIMA-GARCH Model and ARIMA-GARCH Ensemble for Value-at-Risk Prediction on Stocks Portfolio. doi:10.20944/preprints202010.0191.v1.
- Wibawa, S. G., Hariyanto, S., & Solikhin. (2024). “PM10 Air Quality Index Modeling Using ARFIMA-

- GARCH Method: Bundaran Hi Area Of Dki Jakarta Province,” Barekeng: J. Math. & App., 18(4), 2165-2180, 2024.
- Wang, Y. (2022). Application of ARIMA-GARCH-S model to short-term stock forecasting. *Journal of Economic Research.*, 11: 131-135.
- Wang, M. (2024). Advanced Stock Market Forecasting: A Comparative Analysis of ARIMA-GARCH, LSTM, and Integrated Wavelet-LSTM Models. SHS Web of Conferences 196 EDMA2024 , 02008 (2024) <https://doi.org/10.1051/shsconf/202419602008>.
- Xiang, Y. (2022). Using ARIMA-GARCH Model to Analyze Fluctuation Law of International Oil Price. *Mathematical Problems in Engineering* Volume 2022, Article ID 3936414, 7 pages <https://doi.org/10.1155/2022/3936414>.
- Yahaya, A. E., Etuk, E. H., & Emeka, A. (2021). Comparative Performance of ARIMA and GARCH Model in Forecasting Crude Oil Price Data. *Asian Journal of Probability and Statistics* 15(4): 251-275, 2021; Article no.AJPAS.69608 ISSN: 2582-0230.
- Yudistira, A. I., & Yulianto, T. (2025). Application of the ARIMA-GARCH Model for Forecasting Indonesia's Monthly Inflation Rate. *Contemporary Mathematics and Applications* 7(1), 2025, 1-12.
- Slaveya Zhelyazkova, S. (2018). ARFIMA-FIGARCH, HYGARCH and FIAPARCH Models of Exchange Rates. *Economic Sciences Series*, 7(2), 2018.
- Zuenok, R., & Rogosin, S. (2024). ARFIMA-GARCH modeling of Financial time series. *Mathematical Methods in Economics and Finance*, 17(1), 26, 2024.